		F
	Application No.	Applicant(s)
Notice of Allowability	09/889,522	STORCK, HUBERTUS
	Examiner	Art Unit
	Nittaya Juntima	2663
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to 6/15/05.		
2. The allowed claim(s) is/are 1,3-11,13-23,26-27,30-31,34-47,49-59; renumbered as 1-7,9-10,8,12,27-28,30-34,36-37,39,20,25-26,28-29,21-22,15-20,22-23,21,11,24-25,29,35,13,26,23-24,27,30-31,38, respectively.		
3. The drawings filed on 15 June 2005 are accepted by the Examiner.		
4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submined to the priority unapplication of the priority documents have a priority documents	e been received. e been received in Application No cuments have been received in this in of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER	national stage application from the complying with the requirements
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) \square including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E Notice of Informat D	shoot Application (DTO 150)
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Displacure Statements (PTO 1449 or PTO/SP/0	6. Interview Summary Paper No./Mail Dat	e
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1-17-01	<u>_</u>	
4. Examiner's Comment Regarding Requirement for Deposit	-	ent of Reasons for Allowance
of Biological Material	9.	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Alphonso A. Collins on 8/18/05.

The application has been amended as follows:

In the claim:

In claims, 9, 10, 11, 22, 43, 44, 45, 46, and 47, line 1, "according to " has been changed to --of--.

In claim 23, line 1, "An ATM cell" has been changed to --A management unit for constructing an ATM cell--.

In claim 26, line 1, "ATM cell" has been changed to --management unit--.

In claim 30, line 1, "A method according to" has been changed to --The method of --.

In claims 35, 36, 54, and 55, line 1, "ATM cell" has been changed to -- management unit--.

Application/Control Number: 09/889,522

Art Unit: 2663

2. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Nittaya Juntima whose telephone number is 571-272-3120. The

examiner can normally be reached on Monday through Friday, 8:00 A.M - 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ricky Ngo can be reached on 571-272-3139. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nittaya Juntima August 18, 2005

.003 14

RICKY NGO
PRIMARY EXAMINER

8/18/05

Page 3